



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION IV

345 COURTLAND STREET, N.E.
ATLANTA, GEORGIA 30365

Site:	Lees Lane
Break:	8.3
Other:	v. 28

13 March 1992

Mr. C. A. Neumayer
Director of Operations & Maintenance
Louisville and Jefferson County
Metropolitan Sewer District
400 South Sixth Street
Louisville, Kentucky 40201

RE: Lees Lane Landfill Superfund Site Operation & Maintenance
Schedule Laboratory Approval

Dear Mr. Neumayer:

Your letter dated 14 February 1992 provided the proposed schedule by which MSD will conduct operations & maintenance activities at the Lees Lane Landfill Site. The schedule that you have developed is satisfactory and I have no suggested changes at this time. However, I may chose to do so once I have had the opportuntty review several successive quarterly reports.

The laboratory facility that you have selected for analysis of your samples, EMS Heritage Laboratories, Inc., is also acceptable to EPA. I contacted EMS and asked that they forward me a copy of their quality assurance plan and any state certifications they have attained. They did so and our review of the material provided by EMS indicates that the analytical lab is technically capable of providing reliable analyses of your monitoring samples.

I would like to further assess the performance of EMS during the quarterly sampling and will do so by means of blind QC samples. Please contact me approximately one month prior to the conduct of scheduled sampling events so that I can arrange for preparation of the QC samples.

Please call at (404) 347-7791 should you wish to discuss more fully the matters just discussed.

Sincerely,

Derek Matory
Remedial Project Manager



10878023